

RECORD POWER

ESTABLISHED 1909®



Over
100
years

Experience • Knowledge
Support • Expertise

Woodturning
Dust Extraction
Drilling
Scroll Sawing

Sharpening & Grinding
Carving
Clamping

sales@trendtimbers.com
www.trendtimbers.com.au

DML305 Cast Iron 6 Speed Midi Lathe

The DML305 cast iron lathe represents a new benchmark in high quality midi lathes and is perfect for the user with minimal space or as a second lathe for demonstrations and shows.

The lathe is extremely well finished with polished metal handles, spindle lock with indexing and graduated markings on the tailstock barrel. Many of these features are normally only found on expensive professional lathes.




Maximum Bowl Diameter	305mm
Maximum Between Centres	393mm
Maximum Swing Over Bed	305mm
Spindle Speeds	350, 670, 1025, 1500, 2225, 3250rpm
Motor	1/2hp
Thread	3/4" x 16TPI
Taper	1 Morse Taper
Weight	39kg
Size L x W x H	1030 x 280 x 455mm

Optional Fits	CODE
DML305/A Adjustable Leg Stand	R8127
DML305/E Bed Extension 620mm	R8128
CWA180 Tubular Curved Tool Rest	R8114
CLO/K 5" Tool Rest	R8112
CLO/J-CAM 10" Tool Rest	R8113
CWA170 Thread Protector 3/4x16TPI	R8157

DML305-VS Cast Iron Electronic Variable Speed Midi Lathe

The DML305-VS features high quality full electronic variable speed control. This system should not be confused with cheap and simple rheostat versions which have poor torque and can cause overheating of the motor. It uses a three phase motor and inverter system, similar to that used in the CL4, an industrially proven method which provides the low end torque that is so essential to the woodturner but is sadly lacking in so many poorer quality alternatives.



Maximum Bowl Diameter	305mm
Maximum Between Centres	393mm
Maximum Swing Over Bed	305mm
Spindle Speeds	400 - 3850rpm
Motor	1/2hp
Thread	3/4" x 16TPI
Taper	1 Morse Taper
Weight	49kg
Size L x W x H	1030 x 280 x 455mm

DML36SH-CAM Swivel Head 4 Speed Intermediate Lathe

This traditional British designed machine is ideally suited to the ambitious beginner or more serious turner on a restricted budget. The tubular steel bed bars, sealed for life bearings and heavyweight cast construction provide a rigid base for turning. Simple to operate and low in maintenance, this lathe is perfect either for the starter who wants a machine that will grow with their skills, or as an upgrade to some of the poorer quality cheap imports.

Maximum Bowl Diameter	305mm
Maximum Between Centres	914mm
Maximum Swing Over Bed	230mm
Spindle Speeds	450, 950, 1500, 2000rpm
Motor	1/3hp
Thread	3/4" x 16TPI
Taper	1 Morse Taper
Weight	41kg
Size L x W x H	1530 x 305 x 336mm



Shown with optional leg stand and bowl rest.

Optional Fits	CODE
DML/245 Leg Stand	R8110
DML-BR Bowl Turning Attachment	R8111
CWA180 Tubular Curved Tool Rest	R8114
O/K 5" Tool Rest	R8112
CLO/J-CAM 10" Tool Rest	R8113
CWA170 Thread Protector 3/4x16TPI	R8157

CL3-CAM & CL4-CAM Professional Lathes

These famous British design classics have an excellent reputation worldwide, featuring superior engineering and heavy duty construction, they take pride of place in many professional workshops. The CL4 features a high quality variable speed unit as standard and this unit is available as an upgrade from the manual speed CL3-CAM.

Optional Fits	CODE
RPLB24-48 Adjustable Lathe Stand	R8116
CL3/B Bowl Turning Attachment	R8117
CLO/C Cam Lock Tool Rest Upgrade	R8119
CLO/J 10" Tool Rest	R8121
AVTR 5" Tool Rest	R8118
CLO/H 17" Tool Rest	R8120
CWA180 Tubular Curved Tool Rest	R8114
VSLK Variable Speed Upgrade - CL3	R803

The UK made variable speed unit gives smooth, responsive speed change at the turn of a dial.



CL4-CAM shown with optional lathe stand and bowl rest.

CL3-CAM	
Maximum Bowl Diameter	762mm
Maximum Between Centres	914mm
Maximum Swing Over Bed	305mm
Spindle Speeds	425, 625, 925, 1360, 2000rpm
Motor	3/4hp
Thread	3/4" x 16TPI
Taper	1 Morse Taper
Weight	86kg
Size L x W x H	1625 x 381 x 386mm

CL4-CAM	
Maximum Bowl Diameter	762mm
Maximum Between Centres	914mm
Maximum Swing Over Bed	305mm
Spindle Speeds	13 - 4600rpm Electronic Variable
Motor	1hp
Thread	3/4" x 16TPI
Taper	1 Morse Taper
Weight	90kg
Size L x W x H	1625 x 381 x 600mm

CL3-CAM
CL4-CAM

High Speed Steel Turning Tool Sets

RPCHS6
6 Piece HSS
Professional Spindle
Turning Tool Set

RPCHS6-SS
6 Piece HSS
Essential Spindle and Bowl
Turning Tool Set

RPCHS8
8 Piece HSS
Professional Spindle &
Bowl Turning Tool Set



	RPCHS6	RPCHS6-SS	RPCHS8
CH100 3/4" Roughing Gouge	✓	✓	✓
CH200 1/4" Spindle Gouge	✓	✓	✓
CH210 3/8" Spindle Gouge	✓	✓	✓
CH220 1/2" Spindle Gouge	✓	✓	✓
CH320 1" Flat Skew Chisel	✓	✓	✓
CH520 3/8" Parting and Beading Tool	✓	✓	✓
CH601 1/4" Deep Bowl Gouge	✓	✓	✓
CH602 3/8" Deep Bowl Gouge	✓	✓	✓
CH700 1/2" Domed Scraper	✓	✓	✓
CH701 3/4" Domed Scraper	✓	✓	✓
CH900 3/4" Oval Skew	✓	✓	✓

This collection of high quality tools has evolved using Records 100 years of experience in manufacturing fine edge cutting tools and consultation with many professional and amateur turners. The combination of quality HSS blades and ergonomic designed handles made from close grain beech hardwood make them the preferred choice for wood turning professionals and novices alike worldwide.

RPCHSP3
3 Piece HSS
Pen Turning Set



- 3/8" Spindle Gouge
- 1/8" Parting Tool
- 1/2" Oval Skew Chisel

This set of chisels are ideal for small projects such as pens. Their compactness makes delicate and fine work easier. The chisels come in an attractive presentation and storage box.

Individual Turning Tools



Description	CODE
CH100 3/4" Roughing Gouge	R8135
CH120 1-1/4" Roughing Gouge	R8136
CH300 1/2" Skew Chisel	R8140
CH310 3/4" Skew Chisel	R8141
CH200 1/4" Spindle Gouge	R8137
CH210 3/8" Spindle Gouge	R8138
CH220 1/2" Spindle Gouge	R8139
CH601C 3/8" Fingernail Profile Gouge	R8147
CH602C 1/2" Fingernail Profile Gouge	R8149
CH604C 5/8" Fingernail Profile Gouge	R8150
CH900 3/4" Oval Skew Chisel	R8154
CH910 1" Oval Skew Chisel	R8155
CH920 1-1/4" Oval Skew Chisel	R8156
CH500 1/8" Parting & Beading Tool	R8142
CH520 3/8" Parting & Beading Tool	R8143
CH550 1/8" One Handed Parting Tool	R8144
CH601 1/4" Deep Bowl Gouge	R8146
CH602 3/8" Deep Bowl Gouge	R8148
CH600 1/2" Deep Bowl Gouge	R8145
CH700 1/2" Domed Scraper Chisel	R8151
CH701 3/4" Domed Scraper Chisel	R8152
CH702 1" Domed Scraper Chisel	R8153

RPCV12 Carving Tool Set with Bonus DVD & Booklet


This superb value set contains a wide range of profiles, providing an ideal introduction to the fascinating world of wood carving.

Spring Alloy Steel This material helps the chisels retain their cutting edge longer and resists corrosion.

Included DVD features:

- Tool Talk • Sharpening and Maintenance
- The Significant Six Techniques
- Timber Selection • Projects • Tips & Tools

In the 16 page full colour companion booklet you will find a collection of projects to put your skills to the test.



RPCVM15 Carvers Mallet

Weighing 15oz. Suitable for delicate work as well as for heavier operations such as roughing out. Close grained Beech.



RPCV130 Carvers Vice

- 360° Rotation
- Pivoting Support Arm
- Cast Iron Clamp.



C Clamps

RPC-C/3 3" Capacity	644 Kgf Clamp Force	R9710
RPC-C/4 4" Capacity	823 Kgf Clamp Force	R9711
RPC-C/6 6" Capacity	953 Kgf Clamp Force	R9712



G Clamps

RPC-G/6 6" Capacity	1372 Kgf Clamp Force	R9714
RPC-G/8 8" Capacity	1809 Kgf Clamp Force	R9715
RPC-G/12 12" Capacity	2794 Kgf Clamp Force	R9713



Sash Clamps

RPC-S/30 30" Capacity	R9716
RPC-S/36 36" Capacity	R9717
RPC-S/48 48" Capacity	R9718
RPC-S/66 66" Capacity	R9719



T-Bar Clamps

RPC-T/48 48" Capacity	R9721
RPC-T/66 66" Capacity	R9722



Alan Holtham Woodturning DVD's


In association with Record Power, Alan Holtham has produced a range of indispensable instructional DVDs covering the most popular areas of woodturning.



This DVD is ideal for any bandsaw owner or new woodworker wanting to get the best from their machine as most of the principles covered are general to all bandsaws.


RPDVD01
Bandsaw Masterclass DVD
Duration - 60min

Code
R8350




RPDVD07
Woodworking Projects
Mantle Clock

Code 70min
R8353



RPDVD08
Woodworking Projects
Introduction to Bowl Turning

Code 66min
R8354



RPDVD09
Woodworking Projects
Wall Clock

Code 60min
R8355



RPDVD06
Woodworking Projects
Intro. to Spindle Turning

Code 46min
R8352



RPDVD05
Step by Step Guide
Finishing on the Lathe

Code 45min
R8351



RPDVD10
Woodturning Techniques
Introduction to Pen Turning

Code 45min
R8356

WG250 Wet Stone Sharpener

A wet stone sharpening system with a range of high quality jigs and accessories is essential for many woodworkers and is also an extremely useful tool for general household tasks, such as the sharpening of knives, gardening tools and many other items.

Adjustable Torque

Adjustable Speeds from 90 – 150rpm

Friable Stone

Left Hand Nut Thread

Drip Guard

Integral Storage Tray

Wide Range of Optional Accessories Available

Includes: WG250/C Straight Edge Jig
WG250/K Diamond Trueing Tool
WG250/P Support Arm
WG250/R Stone Grader
WG250/S Honing Compound
WG250/T Angle Setting Gauge
G250/U Angle Finder

Stone Size: 250 x 50mm

Honing Wheel Size: 230 x 30mm

Speeds: 90 - 150rpm

Motor: 160W / 0.2hp 240V

Weight: 16kg

Size: L470 x W285 x H320mm



Sharpening Jigs

	CODE
WG250/A Gouge Jig	R8965
WG250/B Short Tool Jig	R8966
WG250/C Straight Edge Jig	R8967
WG250/D Plane Camber Jig	R8968
WG250/E Scissor Jig	R8969
WG250/F Side Wheel Sharpening Jig	R8970
WG250/G Short Knife Jig	R8971
WG250/H Long Knife Jig	R8972
WG250/I Tool Rest Jig	R8973
WG250/J Axe Jig	R8974

Includes



BONUS



Sharpening Accessories

	CODE
WG250/K Diamond Trueing Tool	R8975
WG250/L Leather Strop Wheel	R8976
WG250/M Replacement Sharpen. Stone	R8985
WG250/N Profiled Leather Honing Wheel	R8977
WG250/O Support Arm Extension Kit	R8978
WG250/P Support Arm	R8979
WG250/Q Protective Machine Cover	R8980
WG250/R Stone Grader	R8981
WG250/S Honing Compound	R8982
WG250/T Angle Setting Gauge	R8983
WG250/U Angle Finder	R8984
WG250/X Maintenance Kit for WG250	R8986

RPR400S Roller Stand

Ideal for wood and metal band saws. This adaptable roller stand is an invaluable addition to any workshop. It has myriad uses, being ideal for supporting work when using powered or hand tools. Any number of additional stands can be used, depending on the size and weight of timbers.

Application: Medium Duty

Height Adjustment: 635 - 1050mm

Roller Size: Ø47mm x 300mm

Load Capacity: 68kg



Model 480 Professional Engraver (240V)

Penetrating Action: The engraver works using a rapid hammer action to indent the work piece.

Adjustable Penetration Depth: The engraver can be finely adjusted to give varying depth of point penetration.

Ergonomic Design: Designed to fit comfortably in the hand for superior control

Case Included



Strokes Per Minute: 100

Vibration Value: 20.32m/s2

Size: L240 x W50 x H76mm

Weight: 700g



AC400 Two Stage Air Filter

It features two stage filtration with pocket filters to provide filtration down to 1 micron. It has 3 speeds and a timer function. Also supplied with mounting hooks and chains. This unit provides simple single stage filtration for areas up to 113m².



Filtration Rate: 409CFM

Motor: 1/8hp 240V

Filtration: 1 Micron

Noise Level: 69db

Weight: 14kg

Size: L431 x W514 x H258mm

SS16V Scroll Saw

The SS16V variable speed gives the versatility to cut a range of different materials. Slower speeds can be used for the cutting of plastic and non-ferrous metals, while faster speeds can be used for cutting wood up to 50mm thick.



Throat Depth: 406mm

Max Depth of Cut: 50mm

Speeds: 400-1600rpm

Table Tilt: 0-45°

Motor: 75W

Weight: 16kg

Size: L630 x W280 x H315mm

DS19 Compact Drill Stand

The DS19 features a precision manufactured rack and pinion rise and fall, with a solid precision ground column to provide steady, smooth and accurate movement.

The headstock is cast aluminium with a 43mm collar to accept most drills and some small routers. Head can be tilted.



Stroke: 67mm

Throat Depth: 125mm

Holding Collar: 43mm

Weight: 6.6kg

Size: L260 x W175 x H500mm

Made in the UK

RSDE1 Fine Filter Extractor

1000W 240V motor
45 Litre steel tank
2m x Ø100mm Hose
0.5 Micron Filtration
- Ideal for all types of wood dust and even MDF.
Two Stage Filtration - Featuring a two stage filtration process for extra fine dust.



Filtration Rate: 112CFM

Filtration: 0.5 Micron

Motor: 1kW, 1.3hp 240V

Weight: 11kg

Size: L360 x W530 x H620mm

RSDE2 Fine Filter Extractor

1000W 240V motor
50 Litre steel tank
2m x Ø100mm Hose
0.5 Micron Filtration - Ideal for all types of wood dust and even MDF.
Two Stage Filtration - Featuring a two stage filtration process for extra fine dust.
Includes Wheel Kit, 100-32mm reducer & 2m x Ø32mm hose



Filtration Rate: 112CFM

Filtration: 0.5 Micron

Motor: 1kW, 1.3hp 240V

Weight: 13.5kg

Size: L360 x W530 x H770mm

DX4000 Fine Filter Extractor

2 x 1000W 240V motors
80 Litre steel tank
2m x Ø100mm Hose
0.5 Micron Filtration
- Ideal for all types of wood dust and even MDF.

Triple Filtration - Featuring a three stage filtration process with an extra pre-filter to protect main filters.



Filtration Rate: 224CFM

Filtration: 0.5 Micron

Motor: 2 x (1kW, 1.3hp 240V)

Weight: 20kg

Size: L490 x W660 x H630mm